


	First Embodiment	Second Embodiment
pre-conversion	variable order	fixed order
pre-conversion advance	Next key	multi-tap
tone mark	variable order	fixed order
conversion	on trigger sequence	on tone mark
post-conversion	variable order	fixed order
post-conversion advance	Next key	multi-tap
predictive method	symbol-based	word-based

	First Embodimont	Second Embodiment
	LIIIVVUIIIVIII	LIIIVVUIIIVII
pre-conversion		fixed order
pre-conversion advance		multi-tap
tone mark		fixed order
conversion		on tone mark
post-conversion		fixed order
post-conversion advance		multi-tap
predictive method	symbol-based	word-based

•




	First Embodiment	Second Embodiment
pre-conversion	variable order	fixed order
pre-conversion advance	Next key	multi-tap
tone mark		fixed order
conversion		on tone mark
post-conversion	variable order	fixed order
post-conversion advance	Next key	multi-tap
predictive method	symbol-based	word-based


Aspect	First Embodiment	Second Embodiment
pre-conversion	variable order	fixed order
pre-conversion advance	Next key	multi-tap
tone mark	variable order	
conversion		on tone mark
post-conversion	variable order	fixed order
post-conversion advance	Next key	multi-tap
predictive method	symbol-based	word-based

Aspect	First	Second
	Embodiment	Embodiment
pre-conversion	variable order	fixed order
pre-conversion advance	Next key	multi-tap
tone mark	variable order	fixed order
conversion	on trigger sequence	
post-conversion	variable order	fixed order
post-conversion advance	Next key	multi-tap (if pre-conversion advance is Next key)
predictive method	symbol-based	word-based


Aspect		Second Embodiment
pre-conversion	variable order	
pre-conversion advance	Next key	
tone mark	variable order	
conversion	on trigger sequence	
post-conversion	variable order	
post-conversion advance	Next key	
predictive method	symbol-based	word-based


.




































An input device generates a symbol stream comprising pre-conversion symbols.

2601

A remote server receives the symbol stream and converts the pre-conversion symbols to post-conversion symbols.

2602

A converted-text processor operates on the converted text.